



# PLL2250MW

22" LCD Monitor

The cost-effective Planar® PLL2250MW 22" Full HD LCD desktop monitor features wide viewing angles, VGA and HDMI® video inputs, and integrated TrueMedia™ speakers. With its small footprint, it can be used as a standalone or mounted on a multi-monitor stand for home, office or healthcare applications. Blue light reduction pre-sets help lower eye fatigue and maintain visual comfort. It offers wide viewing angles, excellent color balance and easy set-up.



SPECIFICATION	DETAIL
Product Name	PLL2250MW
Planar Part Number	997-9044-00
Viewable Size	21.5" diagonal (18.74" horizontal x 10.54" vertical)
Aspect Ratio	16:9
Contrast Ratio (typ)	3000:1
Viewing Angle (typ)	178° Horizontal and 178° Vertical (Specified at CR>10:1)
Response Time (typ)	12.5ms (GTG)
Brightness (Typical)	250 cd/m <sup>2</sup>
Display Type	Edge-Lit LED LCD
Display Resolution	1920 x 1080, full HD
Tilt Range	-5° to +15°
Palette	16.7 million colors
Pixel Pitch	0.248
Refresh Rate	55-76Hz (60Hz recommended)
Dimensions (W x H x D)	19.9" x 14.5" x 6.7" (504 mm x 367 mm x 170.4 mm)
Dimensions without	19.9" x 14.5" x 1.9" (504 mm x 367 mm x 49 mm)

<b>Stand</b>	
<b>Panel Depth</b>	1.9" (49 mm)
<b>Display Weight</b>	5.7 lb (2.55 kg), 5.1 lb (2.3 kg) without base & stand
<b>Shipping weight</b>	8.1 lb (3.65 kg)
<b>Video Inputs</b>	HDMI®, VGA
<b>HDCP</b>	Yes
<b>External Connections</b>	HDMI 19-pin, VGA 15-pin, 3.5 mm audio in
<b>Audio Output</b>	Integrated TrueMedia™ speakers, 1W/channel
<b>Compatibility</b>	PC and Mac® (adapter may be required for Mac)
<b>Power Supply</b>	Internal
<b>Power Consumption (max)</b>	16W Typical, (0.5W standby)
<b>Power Requirements</b>	AC 100/240 VAC
<b>Operating Temperature</b>	5° to +40°C (41° to 104°F)
<b>Humidity</b>	10 - 90% RH (non-condensing)
<b>Mount</b>	Built-in 75 mm VESA, back
<b>Product Approvals</b>	FCC-B, UL/cUL, WEEE, Rohs
<b>Recommended Usage</b>	Up to 16 hours per day
<b>Service and Support</b>	3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US.
<b>Options / Features</b>	Wide viewing angle, Discreet branding, Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® Security Slot
<b>Blue Light Reduction</b>	Yes
<b>Flicker Free</b>	Yes
<b>In the Box</b>	PLL2250MW LED LCD Monitor, Power cord, HDMI cable, User's guide
<b>UPC</b>	8 10689 00409 7
<b>HDMI®</b>	Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

For more information, please visit [www.planar.com](http://www.planar.com)

*Specifications are subject to change without notice.*

*Specification Report Date: 5/21/2024*

*© Copyright 2024 Planar Systems, Inc. All rights reserved*